International Journal of Mass Spectrometry and Ion Processes, 121 (1992) 249
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Andre, J. 77

Bourdon, B. 201
Brandl, D. 87
Brincourt, G. 77
Brown, E.R. 95
Brueckner, H. 201
Burgers, P.C. 159, R11

Catella, R. 77
Cherepin, V. R1
Cooks, R.G. 49

De Bièvre, P. 111

England, J.G. 201

Gormally, J. 241

Härter, P. 183
Hayhurst, C.J. 127

Irion, M.P. 1

Julian, R.K., Jr. 49

Kingsmill, C.A. R11

Li, G.-Z. 65

Maeck, R. 111
Marcantonio, F. 201
McGibbon, G.A. 159, R11
Milnes, J. 241
Morris, R.A. 95
Motevalli, V. 95

Opitz, J. 183

Paulson, J.F. 95

Read, P. 201
Reisberg, L.C. 201
Reiser, H.-P. 49
Rogers, K. 241
Rubenstone, J.L. 201
Ruttink, P.J.A. 159

Salters, V. 201
Schoppmann, Ch. 87

Taylor, P.D.P. 111
Takayama, M. R19
Terlouw, J.K. 159, R11
Turner, P.J. 201

Van Doren, J.M. 95
Van Garderen, H.F. 159
Viggiano, A.A. 95
Voit, H. 87

Watts, P. 127, 141
Weaver, S. 201
Werth, G. 65
Wilders, A. 127

Zerega, Y. 77
Zindler, A. 201

International Journal of Mass Spectrometry and Ion Processes, 121 (1992) 251–253 251
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Absorption pathway
Multiphoton ionization of vanodacene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Ab initio calculations
The isomeric C_2NO^+ ions $NCCO^+$, $CNCO^+$, $CCNO^+$ and their neutral counterparts are stable species in the gas phase R11
Appearance energies
Multiphoton ionization of vanadocene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Atomic Weight
Determination of the absolute isotopic composition and Atomic Weight of a reference sample of natural iron 111

Cations
Positive ion chemistry related to hydrocarbon flames doped with CF_3Br 95
C_2NO^+ ions
The isomeric C_2NO^+ ions $NCCO^+$, $CNCO^+$, $CCNO^+$ and their neutral counterparts are stable species in the gas phase R11

Desorption mechanism
The role of adsorbates in spontaneous desorption 87
Diazapropylium
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$ and $CH_2NHNH_2^+$ and radicals CH_2NHNH_2 studied by theory and experiment 159
Diels–Alder reactions
Diels–Alder cycloaddition reactions induced by infrared laser desorption of samples containing mixtures of 3-indoleacrylic acid and derivatives of maleimide 241

Fourier analysis
Mass discrimination of isotopic Xe^+ ions ejected from an r.f. quadrupole trap: Fourier analysis of the ion signal for selected time-of-flight measurements related to position in the trap 77
FT-ICR
Size effects in metal cluster-ion chemistry 1
Fullerenes
Gas-phase fast atom bombardment mass spectra of fullerenes and pyrene R19

Gas phase
The isomeric C_2NO^+ ions $NCCO^+$, $CNCO^+$, $CCNO^+$ and their neutral counterparts are stable species in the gas phase R11
Gas-phase fast atom bombardment of fullerenes and pyrene R19

Halon
Positive ion chemistry related to hydrocarbon flames doped with CF_3Br 95
Hydrazonium
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$ and $CH_2NHNH_2^+$ and radicals CH_2NHNH_2 studied by theory and experiment 159
Hydrazyl
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$ and $CH_2NHNH_2^+$ and radicals CH_2NHNH_2 studied by theory and experiment 159
Hydrocarbon flames
Positive ion chemistry related to hydrocarbon flames doped with CF_3Br 95

Indoleacrylic acid
Diels–Alder cycloaddition reactions induced by infrared laser desorption of samples containing mixtures of 3-indoleacrylic acid and derivatives of maleimide 241

Ion cloud dynamic
Energy distribution of ions in a Penning trap 65
Ion mobility spectrometry
Studies on gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: kinetic modelling of the reactions occurring in "clean" air 141
Studies on the gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: mass analysis and ion identification of the negative reactant ion peak in "clean" air 127
Ion temperature
Energy distribution of ions in a Penning trap 65
Ion trap
Mass discrimination of isotopic Xe^+ ions ejected from an r.f. quadrupole trap: Fourier analysis of the ion signal for selected time-of-flight measurements related to position in the trap 77
Ion/molecule reactions
Positive ion chemistry related to hydrocarbon flames doped with CF_3Br 95
Studies on gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: kinetic modelling of the reactions occuring in "clean" air 141
Studies on the gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: mass analysis and ion identification of the negative reactant ion peak in "clean" air 127
Ionic fragmentation mechanism
Multiphoton ionization of vanadocene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Iron
Determination of the absolute isotopic composition and Atomic Weight of a reference sample of natural iron 111
Isotopic reference material
Determination of the absolute isotopic composition and Atomic Weight of a reference sample of natural iron 111

Kinetics
Positive ion chemistry related to hydrocarbon flames doped with CF_3Br 95
Size effects in metal cluster-ion chemistry 1
Studies on gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: kinetic modelling of the reactions occurring in "clean" air 141

Laser desorption
Diels–Alder cycloaddition reactions induced by infrared laser desorption of samples containing mixtures of 3-indoleacrylic acid and derivatives of maleimide 241
Laser ionization
Diels–Alder cycloaddition reactions induced by infrared laser desorption of samples containing mixtures of 3-indoleacrylic acid and derivatives of maleimide 241

Mass analyzer
Spherotron — a new concept in mass spectrometry R1
Metal clusters
Size effects in metal cluster-ion chemistry 1
Metallocenes
Multiphoton ionization of vanadocene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Metastable ion decay
Multiphoton ionization of vanadocene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Multiphoton ionization dissociation
Multiphoton ionization of vanadocene and ferrocene at 248 and 193 nm. Wavelength-dependent competition between dissociation and ionization 183
Multi-transit
Spherotron — a new concept in mass spectrometry R1

Negative thermal ion mass spectrometry
The Lamont–Doherty Geological Observatory Isolab 54 isotope ratio mass spectrometer 201
Neutralization–reionization mass spectrometry
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$

and $CH_2NHNH_2^+$ and radicals $CH_2NHNH_2^{\bullet}$ studied by theory and experiment 159
The isomeric C_2NO^+ ions $NCCO^+$, $CNCO^+$, $CCNO^+$ and their neutral counterparts are stable species in the gas phase R11

Penning trap
Energy distribution of ions in a Penning trap 65
Pyrene
Gas-phase fast atom bombardment mass spectra of fullerenes and pyrene R19

Quadrupole ion trap
A versatile method of simulation of the operation of ion trap mass spectrometers 49
Quantum chemical calculations
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$ and $CH_2NHNH_2^+$ and radicals $CH_2NHNH_2^{\bullet}$ studies by theory and experiment 159

Reactant ion peak
Studies on gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: kinetic modelling of the reactions occuring in "clean" air 141
Studies on the gas-phase negative ion/molecule reactions of relevance to ion mobility spectrometry: mass analysis and ion identification of the negative reactant ion peak in "clean" air 127

Secondary ion mass spectrometry
Size effects in metal cluster-ion chemistry 1
The Lamont–Doherty Geological Observatory Isolab 54 isotope ratio mass spectrometer 201
Size specific chemistry
Size effects in metal cluster-ion chemistry 1
Spherical condensor
Spherotron — a new concept in mass spectrometry R1
Spherotron
Spherotron — a new concept in mass spectrometry R1
Spontaneous desorption
The role of adsorbates in spontaneous desorption 87
Sputter-induced resonance ionization mass spectrometry
The Lamont–Doherty Geological Observatory Isolab 54 isotope ratio mass spectrometer 201

Taylor series method
A versatile method of simulation of the operation of ion trap mass spectrometers 49
Thermal ionization mass spectrometry
Determination of the absolute isotopic composition and Atomic Weight of a reference sample of natural iron 111
The Lamont–Doherty Geological Observatory Isolab 54 isotope ratio mass spectrometer 201
Thermochemistry
Aspects of the CH_5N_2 potential energy surface: ions CH_3NHNH^+, $CH_3NNH_2^+$ and $CH_2NHNH_2^+$ and radicals $CH_2NHNH_2^{\bullet}$ studied by theory and experiment 159
Time-of-flight
Mass discrimination of isotopic Xe^+ ions ejected from an r.f. quadrupole trap: Fourier analysis of the ion signal for selected time-of-flight measurements related to position in the trap 77
The role of adsorbates in spontaneous desorption 87

Vinylindole
Diels–Alder cycloaddition reactions induced by infrared laser desorption of samples containing mixtures of 3-indoleacrylic acid and derivatives of maleimide 241